

FALMOUTH
Cancer Incidence by Sex, 1993 - 1997
Expected and Observed Case Counts, with Standardized Incidence Ratios

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<u>Bladder, Urinary</u>				<u>Melanoma of Skin</u>			
Male	27.17	24	88	Male	13.92	20	144
Female	9.95	15	151	Female	10.52	14	133
Total	37.12	39	105	Total	24.44	34	139
<u>Brain and Other Central Nervous System</u>				<u>Multiple Myeloma</u>			
Male	7.13	4	NC*	Male	4.87	4	NC*
Female	6.40	6	94	Female	4.40	4	NC*
Total	13.53	10	74	Total	9.27	8	86
<u>Breast</u>				<u>Non-Hodgkin's Lymphoma</u>			
Male	1.68	5	298	Male	18.69	19	102
Female	141.92	169	119 #+	Female	17.38	13	75
Total	143.59	174	121 #+	Total	36.08	32	89
<u>Cervix Uteri</u>				<u>Oral Cavity and Pharynx</u>			
Female	7.88	7	89	Male	15.15	21	139
				Female	7.68	9	117
				Total	22.83	30	131
<u>Colon / Rectum</u>				<u>Ovary</u>			
Male	68.00	85	125	Female	16.71	15	90
Female	64.14	66	103				
Total	132.14	151	114				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	9.09	6	66	Male	9.82	11	112
Female	3.34	6	180	Female	10.55	12	114
Total	12.44	12	97	Total	20.36	23	113
<u>Hodgkin's Disease</u>				<u>Prostate</u>			
Male	2.87	2	NC*	Male	161.82	220	136 ^+
Female	2.34	4	NC*				
Total	5.21	6	115				
<u>Kidney and Renal Pelvis</u>				<u>Stomach</u>			
Male	14.02	22	157	Male	11.38	16	141
Female	8.58	11	128	Female	6.84	10	146
Total	22.59	33	146 #+	Total	18.22	26	143
<u>Larynx</u>				<u>Testis</u>			
Male	8.46	9	106	Male	3.56	2	NC*

Female	2.37	0	NC*				
Total	10.83	9	83				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	10.31	10	97	Male	2.31	1	NC*
Female	7.71	4	NC*	Female	6.04	9	149
Total	18.02	14	78	Total	8.36	10	120
<u>Liver and Intrahepatic Bile Ducts</u>				<u>Uteri, Corpus and Uterus, NOS</u>			
Male	4.94	4	NC*				
Female	2.15	4	NC*	Female	27.90	44	158 ~+
Total	7.09	8	113				
<u>Lung and Bronchus</u>				<u>All Sites / Types</u>			
Male	83.19	95	114	Male	512.54	615	120 ^+
Female	61.69	67	109	Female	461.10	509	110 #+
Total	144.87	162	112	Total	973.64	1124	115 ^+

Exp = expected case count, based on the Massachusetts average age-specific incidence rates for this cancer

Obs = observed case count

SIR = standardized incidence ratio [(**Obs** / **Exp**) X 100]

* = **SIR** and statistical significance not calculated when **Obs** < 5

+ indicates number of observed cases is statistically significantly higher than the expected number of cases

- indicates number of observed cases is statistically significantly lower than the expected number of cases

indicates statistical significance at the $p \leq 0.05$ level

~ indicates statistical significance at the $p \leq 0.01$ level, as well as at the $p \leq 0.05$ level

^ indicates statistical significance at the $p \leq 0.001$ level, as well as at the $p \leq 0.05$ and $p \leq 0.01$ levels